# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



# DROUGHT RESISTANT PLANTS

"From over the world to the world over"




# KNICKERBOCKER

CACTI and SUCCULENT GARDENS

P. O. ROUTE 1

6065 BACH AVENUE SAN DIEGO, CALIF. MARKET ST. EXT.

TELEPHONE M. 0406





Upper row, left to right: Cereus peruvianus, Opuntia monacantha variegata, Opuntia bigelovi; lower row: Echinocactus gusoni, Neomammillaria geminispina, Ferocactus acanthodes, Astrophytum ornatum.



Upper row, left to right: Gasteria (typical), Crassula monticola, Kalanchoe tubaflora; lower row: Haworthia margaretifera var. granata,

Echeveria elegans, Echevaria crenulata,

Cephalophyllum alstoni.

#### **FOREWORD**

Prices F.O.B., San Diego, Calif. Where the dealer pays the postage there is, of necessity, the consideration that the size of the plant must be kept down. It is my wish to avoid this. If you pay the postage I can send you larger and more beautiful engineers, and give you the full value was would receive tiful speciments, and give you the full value you would receive were you to call in person to select your plants.

Cuts courtesy of Cactus and Succulent Journal of America.

## CULTURAL DIRECTIONS

#### Ideal Soil Mixture

Mix 1 part sand, 1 part garden soil, 1 part leaf mould, 1 part well rotted manure and screen. To this mixture add 1 tablespoon of air slaked lime and 1 tablespoon of powdered charcoal to a 5-in. pot. The lime should not be used with Epiphylla and related genera.

#### Cacti

Globular forms require a small amount of moisture if grown in pots. It is well to have very coarse sand, gravel or broken stones directly under the plant.

Columnar forms may be planted directly in the soil mixture. A half cup of water to a 5-in. pot each week is sufficient during the growing season for the larger cacti. During the cold or dormant season it is well to water very sparingly. Epiphylla, either in pots or in the ground, require shade and plenty of moisture. Cactus plants in the ground do best if kept slightly damp during the growing season.

### Succulents

Succulents, generally speaking, will stand more water than Cacti and a richer, heavier soil. My plants are field grown and very sturdy. They are not at all like the tender plants grown under glass and can be grown out of doors anywhere in the United States during the frostless season if given good drainage so that the base of the plant is not kept unduly wet.

## Fertilizer

The ideal plant food is "Pokon." Weak manure water, given at two week intervals during the growing season only, gives good results.

One thing to remember is, that in the limited root space of a pot or bowl, a plant never reaches its maximum size and many plants in one bowl will remain small.

#### Succulent Pictures

To anyone interested I shall loan colored illustrations of Succulents to be returned after one week.



ASTROPHYTUM MYRIOSTIGMA "The Bishop's Cap" Showing typical shape of Astrophytum

# KNICKERBOCKER NURSERY

AND

# CACTUS GARDEN

NEFF K. BAKKERS, Proprietor

6065 Bach Avenue (Market St. Extension)
P. O. Route 1, San Diego, California

# 1935 CATALOG

Prices subject to change for the following reasons:

Small ones becoming large increase in price.

Those of ready propagation becoming numerous decrease in price.

#### **AGAVE**

The century plant

Suitable for hillsides and large plantings along with Aloes. A few varieties are small and lovely for urns and smaller pots.



# AGAVE SHAWI Typical of the form of all agaves

A.	albicans. Mexico. 3 ft	75c
A.	americana. Blue grey. Marked like moire silk. In maturity leaves are 6 to 8 ft. long. Mexico	.25c
Α.	attenuata. Soft green rosettes, unarmed, 4 to 5 ft. tall.  Mexico	50c
A.	decipiens. Yucatan. Beautiful stately dark green; curved stiff leaves. Suckers should be kept off. 6 to 8 feet tall mature	25c
A.	deserti. Gray-blue with nice markings	15c
A.	ferdinand-regis. Mexico. Very rare. One of the small beautiful varieties similar to victoria-regina but differing in fewer leaves and more open rosettes and a triple instead of a single terminal spine.	50c
A.	ferox. Mexico. One of the loveliest with waxy concave outcurved dark green leaves. 12 to 48 in. long	1.00

A. filifera. Mexico. With white hairs or threads and very	25.0
slender leaves	
A. imperialis. Common garden name. Very blue and smooth and suited to large urns. A very fine va-	
riety 25c to \$	2.50
A. lophantha.	_,,
var. unvittata. Mexico. With a pale central band.	
Unusual looking and never gets large	.50c
A. mitraeformis	
A. parviflora. Arizona. A beautiful pot plant. Small flat	
rosette with white hairs and lines	35c
A. perplexans. (hartmanni). Larger than the foregoing	
but very similar	
A. tequilana. Mexico. Closely related to decipiens. Used	
for making the fermented drink, tequila, in Mexico	
A. victoria-regina. A perfect plant like a piece of carv-	
ing. Globose; incurved, heavy leaves 8 in. long	
mature. Marbled with white. Small ones only	25c
Allied Plants	
Dasylirion serratifolia. Green, narrow, graceful, prickly	
leaves. S. E. Mexico	
D. wheeleri. The thread and needle plant of the Indians.	
Graceful grey-blue leaves with terminal threads.	
Native of Arizona	
Manfreda brachystachys. Mexico	50c
M. variegata. Small, spotted desert rosette	_25c
var. gigantea. Mexico. Large, purple dots	

#### ALOE

Choice one each of any 5 marked with asterisk for \$1.00 postpaid. If you care to pay the postage larger plants will be sent in all collection offers.

Foreword: For canyon hillsides and larger plantings, nothing can exceed the larger Agaves and Aloes, the latter making a blaze of color when in bloom. There are Agaves and Aloes to suit every taste and every requirement. Sizes range in both classes from a tea-cup to a garage. Colors of blossoms range from pale yellow or green to orange and brilliant scarlet.



ALOE VARIEGATA

A type picture of a large group of beautifully
marked plants

A.	abyssinica. One of the very largest of Aloes	50c
	arborescens. The Torch or the Red Hot Poker. Forms clumps of enormous sizes with long spikes of brilliant	
	blooms of orange scarlet	.15c

## ALOE (continued)

Α.	aristata. Cape of Good Hope. The rarest of small Aloes. Very beautiful, like a large Haworthia. Closely	
	set white marginal teeth. Slow to offset and never grows large	5.00
A.	ausana. Similar to A. variegata but decidedly plumper with more obtuse leaves	.50c
Α.	cameroni. A very fine shiny leaved Aloe with beautiful blossoms	.50c
A.	candelabra. Intensely red blossoms; very large	.35c
*A.	ciliaris. The climbing Aloe with exquisite green and red Xmas-candle-like blooms15c to	25c
	8-	.25c
	distans. Long, procumbent with exquisite corymb of flowers	.50c
	eru. Unique in form and blooms. Flowers dainty, clustered; suitable for bouquets	
	ferox. One of the best. Seldom has offshoots\$	1.00
	grandidentata. Beautifully striped. Young plants look like Gasterias and are suited to bowls10c to	25c
"A.	humilis. Makes lovely clumps. Many toothed, grey-green	.15c
	*var. brevifolia. Small enough to be put into bowls or small rockeries. Blue-green. Makes big clusters in	
	var. echinata. Smallest of all. Looks more like a	.15c
	Haworthia than an Aloe. Blue, green in color,	
	heavily warted, slow to increase. Good bloomer	
		.35c
	dichotoma. One of the large growing Aloes with yellow blooms	.50c
	johnsoni	
	lineata. Variegated with yellow stripeslongistyla. Sky blue seedlings	.25c
	mitriformis. Lovely; warted. Each leaf has a central	270
•	line of protuberances distinguishing it from A. nobilis. blossoms like a dainty parasol	50c
	nobilis. Similar to above but much more prolific and a lighter green15c to	35c
	salm-dyckiana. Large, with bold, big spikes of orange red25c to \$3	1.00
*A.	spinosissima. Beautiful bluish green, long toothed, giving it a feathery look. Contrasting vivid scarlet	500
* <b>A</b>	blooms25c to striata. Seedlings only and possibly hybridized. The	<b>300</b>
2 h•	Coral Aloe said by the South Africa Botanic Gardens to be perhaps the most beautiful of all and very useful	
	in hybridization. Medium sized rosettes with umbrella- like corymb of coral red flowers	25c
	var. rhodocinta (handburyiana). Large with purple	
	shadings. Many offshoots	25c
Α.	blooms	.25c
		.25c
	4	25c
A.	variegata. The most popular and unique. Noted for its variety of common names: "Parrot, Whip-poorwill, Pheasants Breast, Tiger Cactus, etc." Everyone should have one25c to \$2.	1.50
kA.	vera. Lovely pastel grey green with satiny smoothness.	
	Pure yellow blooms. An aristocrat. Grows large 15c to vera hybrid	15c
A.	zebrina. (baumi). Tropical Africa. 3 to 4 ft	35c

## Allied Plants

Hesperaloe rubriflora. Large rosette with hairy leaves.
Red flowers on a long stalk. Blooms all summer.
Good ...... 50c

	ANACAMPSEROS	
	albissima. Cape of Good Hope	
	papyracea	
Α.	papyracea	OJC
	BROMELIADS	
	Billbergiae bear blossoms of unique beauty with start nbinations of color.	ling
	irida	
В.	nobilis. Large leaves covered with grey bloom. Large flower	
	nutans. Blossoms vivid green with purple margins rising from a pink sheath	25c
В	nutans x pallida. Lovely leaves of shining brown with gold dots.	
Dv	Dyckias are like small pineapple plants with tall racemes of deep yellow plush flowers.  ckia rariflora	250
	sulphurea15c to	
	zmania lingulata var. cardinalis. Like a pineapple plant with brownish green leaves turning a vivid red when ready to bloom. It bears a cluster of orchid waxen blossoms on a thick red stalk. Grows in the open to be	
_	3 ft. across. "Sunset plant"	
E.	pittieri. Similar to venezuelensis	25c
	COTYLEDON	
	Choice of 1 each of any 5 marked with asterisk. \$	1.00
pos *C.	stpaid. barbeyi. Grey, powdery, beautiful. Africa	15c
	decussata. Red margins and fine shape	25c
*C.	war. gilpini. With occasional mitten shaped leaves mucronata. Also known as undulata and coronata. Africa. The loveliest of all. Thick, opalescent, downy leaves with deeply crenulated edges. Reduced from	
C.	\$2.50orbiculata. Similar to barbeyi but coarse and big beside it bearing, like all of the Cotyledons, a drooping cluster of lovely blooms	50c
	var. macrantha. Green with red edges. Wonderful red blooms at Xmas time. A true Xmas plant	.25c
*C.	oviferra. Flat, bluish, grey leaves, compact. A neat	.35c
C. C.	papillosa. Green narrow leaves parvifolia. Perfectly cylindrical leaves of powdery	25c
*C.	whiteteretifolia. Green downy leaves nearly cylindrical. Bright red flowers	25c
C.	wickensi. Green, narrow leaves	.15c
C.	witchmanni. Red purple leaveswrighti. Bluish grey	25c 25c
olic ▲	Allied Plants	
*Ar	dense clusters of thick, olive green, distinctly spotted leaves15c to	25c
*A.	crispatus. Green, downy, crenulate leaves in a pleasing rosette	25c
Α.	maculatus. A real gem for a pot plant. Purple mottled on a green ground. Not common. Small plant	50c
	CRASSULA	
C.	arborescens. Requires shade. Dull grey with purple margins. Slow propagator. Matte finish	25c
C.	archeri. (pyramidalis). Not like any other plant. A little 4-sided tower of tightly packed leaves. Very interesting	50c
C.	canescens	50c
C.	collinberi. Leaves pointed, thick; in rosettes that turn beautifully red in the sun and bear a spike of pretty pink posies	25c
C	columnaris. Like a lover's knot	35c

	CRASSULA (continued)	
	cooperi. Dainty, small with delicate pink blooms	15c
	CVI WITTIG	10c
	cordata. Small leaves; a vine well suited to hanging baskets; fairy-like pink blooms	10c
		.50c
C.	dregeana. Flowers identical to C. falcata, but crimson rather than scarlet. Leaves downy and blue grey	.15c
C.	elata. A good plant for hanging baskets and to plant in rocks. Pyramidal growth, but drooping	.15c
C.	falcata. One of the best. Blue grey matte surface; unique in shape. Brilliant orange-scarlet clusters of flowers25	c up
	hemispherica. Pretty, downy rosette	
	lactea. Requires shade. White blossoms	15c
C.	lycopodiodes. Common. Kept boxed and trimmed makes a fine border	-10c
	marginata. Procumbent, shining	
	monticola. Similar to perforata. Pink blossoms	_25c
C.	multicava. Good for hanging baskets but too pro- lific for a garden	10-
	namaquensis. The true one with thick powdery leaves	.10c
	obvallata. Rosette of basal leaves, elongated stalk of	
<b>C.</b>	flowers	.25c
C.	pachyphylla. Heavily leaved. Dark blue green	.35c
C.	peglerae. Pyramidal bushy plant. Similar to elata but upright	. 25c
C.	perforata. (perfossa). Buttons on a string or Chinese money. Desirable for bowls. Unique	
C.	portulacae. Commonly called arborescens. Suitable for narrow parkings. Shining thick bronzed leaves. Pink blooms	
C.	pseudolycopodiodes. Dark green. Suitable for bowls because of graceful angles	25c
C.	pulvinata. Powdery gray leaves. A fine figure of a	35c
	reversetosa. A delicate, downy, little plant turning red in winter. Very good	
C.	rhomboidea. Flat topped with silver grey leaves. rosularis. Flat rosette. Similar in design to Aeonium	
<b>C.</b>	tabulaeforme but with shiny leaves	35c
C.	sarmentosa. Shiny green leaves. Pendant. Good for	
C	hanging baskets schmidti. (impressa, rubicunda). Blooms all summer,	15c
٠.	a dainty little thing for rockeries. Deep rose colored	
C	clusters of tiny flowers. Charming15c to spathulata. Partly creeping with delicate flowers; suit-	25c
J	able for hanging baskets	15c
	able for hanging baskets teres. Queer, orchid-pink thumbs of tightly packed leaves. Interesting pot plants for those who like	
C.	something different. Small tetragona. Cuttings in bowls resemble trees. Easily	50c
C.	rooted. Brittle tomentosa. Similar to C. pulvinata but with hairy	10c
C.	edges and narrower leaves trachysantha. Small shrub, very tomentose. White	35c
٠.	blooms	25c
	Allied Plants	
R	ochea coccinea. (rubicunda var. brilliancy. Lovely	4 .
R.	red blooms 25c to \$ longifolia	75c
	versicolor	

## **SUCCULENTS**

## By A. J. VAN LAREN

The most beautifully illustrated succulent book ever made and the only one printed in English. 148 colored life-like pictures. \$5.00 Postpaid. Order from Knickerbocker Nursery.

### **DUDLEYA**

# Close Relatives of ECHEVERIAS and COTYLEDON



DUDLEYA BRITTONI
Typical dudleya shape. Powdery white

D. caespitosa. Native of California. Slender grey leaves with purple tips. Clustered
D. candicans. Rare, from Coronado Islands. Pure white.  Double50c
D. compacta25c
D. farinosa. Grey; red brown tips. Powdery. An exquisite pot plant from Carmel, Calif
D. gigantea. Amador Co
D. indivisa. Coronado Islands. A green, small, thick-leaved variety25c
D. brittoni (ingens). The lovely, pure, white, powdery Dudleya from Lower California50c to -1.00
D. lanceolata. Native of S. Calif. Attractive, iridescent leaves and red flowers25c
D. pulverulenta. Grows large and is very powdery25c
D. purdyi. Oregon50c
D. saxosa50c
D. setchelli. Santa Clara Co
D. sheldoni. Marin Co. 50c
D. silverado splendens. With beautifully shaped powdery leaves. Uncommon

# CACTUS AND SUCCULENT JOURNAL

Published monthly by the Cactus and Succulent Society of America. Of interest to amateur and scientist. \$3.00 per year includes membership to Society and the reprint of "The Cactaceae" by Drs. Britton and Rose. 6162 N. Figueroa St., Los Angeles, Calif.

# **ECHEVERIA**

One each of any 10 marked with asterisk \$1 postpaid Large ones if you pay the postage



#### ECHEVERIA HYBRID

E.	amoena. Small with red flowers and purplish leaves.	15c
E.	australis	35c
E.	carnicolor. Delicate long, narrow leaves. Small flat type. Rare	
E.	corderoyeni. Very thick, yellowish-green leaves thought formerly to be Urbinia agavoides	25c
E.	crenulata. (rosea-grandis). One of the largest and most beautiful. Curving leaves with bright red margins. Grows very large35c to \$	
E		
E.	crispa	25.
	derenbergi. Pale green with thick leaves	. <i>5</i> ) C
E.	desmetiana. (peacocki). Grey blue, powdery, like a piece of carving. Red tipped, beautiful 15c to	25c
E.	expatria. Very green, flat and small, with horizontal spreading flower stems	15c
E.	elegans. Pale bluish green, translucent as if made of wax with pink waxen blossoms15c to	
E.	funcki. (australis). Flat; grey, green matte-finish	
г	rosettes	.15c
	gibbiflora.	
	var. flammea. Highly colored with lovely blooms lasting 4 months15c to	25c
	var. true metallica. Very rare. Similar to preced-	=0
	ing but more obalescent in color	THE

# ECHEVERIA (continued)

	gigantea. Very large with iridescent leaves	
	globosa. Pale bluish, very full of offsets	150
E.	goldmanni. Very small, yellowish-green, spreading rosettes	150
E.	gibbiflora grandifolia var viridens. Free bloomer, beau-	
17	tifully colored leaves	150
E.	harmsi. (Oliveranthus elegans). Flowers lovely, gold lined, scarlet bells	250
E.	hoveyi. One of the most lovely with long, grey, green	
F7	leaves and pinkish variegations. Shade loving	25c
E.	imbricata. (so called). Enormous in size and beautifully colored in irridescent hues. Very waxy	
	leaves35c to	75 c
E.	leucotricha. A distinct Echeveria with a remarkable	
	pubescence. Scarlet blossoms. Scarce because slow to propagate	50c
∗E.	linguaefolia. Thick, fleshy, pale leaves. Flowers cream	
	colored. Individual	
	lurida. Beautiful red with iridescent shading	.50c
E.	beautifully colored. Grows to 2 ft.	.35c
E.	maxoni. Similar to E. pittieri	
E.	mccabeana. Grayish with opal shadings	.35c
	microcalyx. Small, greenish with red tips	.15c
*E.	multicaulis. A charming little Echeveria. Shining	25
ri.	leaves that turn red in the fall	
	nobilis. Full sun to bring out its lovely purplish co	
L.	Medium size and very prolific	
E.	nodulosa. A shrubby plant. Leaves striped with pur-	
177	ple. Unlike any of the others	25c
	nuda. Green with rosy tipsorpeti. Very handsome red hybrid	
	palmeri. Very green open rosettes	
	perbella. Green with concave, red tipped leaves	
	pittieri. Similar to venezuelensis	.25c
	plicata. Beautiful, pointed, red edged leaves	
E.	pubescens (pringlei, mexicana). Downy; lovely scarlet	
г		.15c
E.	var. recurvata. (pringlei var. tortuosa). Lovely curling leaves	25c
E.	pulvinata. (villosa). Very similar to leucotricha but	
	having red bordered leaves35c to	50c
E.	rosea. Somewhat like secunda-glauca with with waxy	25.
F	leaves and purple shading15c to rubella. Green with iridescent shades. Very good	
	sanguinea. Very rare with deep red leaves. Likes	
	plenty of heat. Will not grow in the open	
E.	scaphophylla. Heavy, thick, green leaves. Not very	250
E.	schiedeckeri. Pearly, blue, green leaves. Grows quite	. 4 <i>)</i> (
	tall	.25c
E.	secunda-glauca. The common hen and chickens. The true imbricata	10c
E.	scopulorum. Green with red edges	15c
E.	setosa. Dense globular rosette. Green leaves and or-	
	ange flowers both entirely covered with bristles. A perfect pot plant	25c
E.	simulans. In form like a water lily. Yellow green	
г	leaves with red tips. Lovely15c to	25c
E.	sprucei. One of the small leaved dainty typesstolonifera. Spreading light green	.25c
E.	strictiflora. An uncommon irregularly leaved sort	.35c
E.	sub-rigida. (stanleyi). Dense mat, bluish green tinged with purple or bright red. Exceedingly fine	25-
E.	tolucensis. Not ready for sale till later	50c
E.	turgida. Rare. Flat, gray rosette, red tipped	75c
E.	venezuelensis. Tall, shining, green with red flowers	.25c
E.	viridens. Beautiful color and very tall flower stalk.  25c to	50c

### ECHEVERIA (continued)

(	
E. walpoleiana. Similar to imbricata	.25c
E. weingarti. Deep green, shining, handsome	
E. whitei. Opalescent. Sharply pointed leaves	
Allied Plants	
*Byrnesia weinbergi. Pinkish, bluish, opalescent. Very	
beautiful and easily propagated, hence cheap	25c
Graptopetalum amethystinum. Like most of the ones in	
this genus, beautifully colored	_75c
Graptoveria hybrids:	
interesting and lovely.	
E. amoena x G. orpeti	.25c
E. gigantea x B. weinbergi	
E. clegans x B. weinbergi	
Lenophyllm elongatum	
L. texanum	
L. species	.15c
Pachyphytum brevifolium. Pink hues. Exquisite 35c to	
Pachyveria clevelandi	.35c
P. La Rochette	
P. hybrid. Very lovely when in bloom	
i. Hybrid very lovery when in bloom	

## **EUPHORBIA**

Urbinia agavoides

U. purpusi. Beautiful and rare

...35c to 50c \$1.00

Euphorbias are to the African what the Cacti are to the American Desert.

One each of any 5 marked with asterisk, postpaid



#### EUPHORBIA OBESA One of the three globular forms

	aggregata. Small clustered type	.25c
E.	alcicornis. Flat deeply cut green leaves. Grows very very tall	.50c
E.	aphylla. (candella). Native of Texas. Low reeds	
	with pink flowers 25c to	35c
E.	canariensis. 3 yr. old seedlings	.50c
	caput-medusae major. Similar to the following but	
	much larger. Beautiful heads of flowers 25c to	50c
E.	caput-medusae minor. One of the most interesting pot plants. Many snaky stems from a round central	
	head	.50c
	var. commelini. Cape region	.50c
	var. gorgonis	
	var. inermis	.50c
ķΕ.	cerieformis. Cape region. Many ribbed15c to	50c

# EUPHORBIA (continued)

E.	clava. South Africa. Branching main stem covered with hexagonal tubercles and bearing a rosette of leaves at top
E.	coerulescens. S. Africa 4 to 6-angled bordered with tooth-like spines. Two to three inches thick. 50c to \$3.00
E.	frickiana. One of the latest of the Euphorbias to be identified and one of the smallest. A unique little plant
E.	grandicornis. S. Africa. Probably the most striking of all the tall growing Euphorbiae. Looks more like a Cactus than many of the Cacti
*E.	grandidens. S. Africa. Slender, with many marginal spines on a deeply dentate margin. Makes a shrub of great interest
*E.	heptagona. Cape of Good Hope. Very pretty, branched, pot plant
E.	hermentiana (trigona). Used by natives of W. Africa as totem poles, for building hedges and poisoning arrows. Marbled, angled, branched
E.	heterophylla. U. S. to Peru. Annual Poinsettia. Per doz
E.	intisy. Slender, naked branches upon which the Government is experimenting for rubber 250
*E.	lactea. East Indies. Three angles with marbled, white markings



EUPHORBIA CLAVA

# EUPHORBIA (continued)

E.	lactea cristata. Beautiful pot plants with many curious	2 50
Œ.	convolutions, about 7-in. across and 7-in. high sammillaris. Cape region. Called the "Corn Cob,"	0.50
	which it resembles15c to	25c
E.	which it resembles15c to mauretanica. A leafy, light green, slender shrub.	
	15c to	
E.	meloformis. Cape region. Dark green, globular, with	
	depressed centers. One of the two globular forms look-	
יין	ing like a Cactus	1.00
E.	nerifolia. India. Shrubby. Grows to 6 or 7 ft. 8 to	
	10 in, in diam. Heavily horned stem with large	
E.	leaves25c obesa. S. Africa. 3 yr. old seedlings, globular, marked	up
	like a piece of gingham and very fascinating.	1.25
E.	pilosa. Europe and N. Asia	.15c
E.	pilosa. Europe and N. Asia	
	ly angled ribs256	e up
E.	ly angled ribs 250 regis-jubea. Teneriffe. Branching shrub with narrow,	
	gray-green leaves	.15c
E.	resinfera. S. W. Morocco. 4-angles, many branches.	
E	yielded the Euphorbia Gum of the Ancients	_50c
E.	schimperi similis. (natalensis). Natal. Looks like a large Cereus.	-15c
J.	Prices on applicat	ion
F	splendens. Madagascar. "Crown of Thorns." A lovely	.1011.
L.	pot plant with red flowers almost continual. Can be	
	twisted and trained into many forms	2.50
E.	squarrosa. 4-angled, very green	
E.	tirucauli. S. Asia	.15c
E.	xylophylloides. Madagascar. Chubby, interesting, fine.	
	Flat, thick, ½ in. wide, leaf-like branches	_25c
	Allied Plants	
Lat	tropa berlandieri. Distinctive plant with an above	
Jai	ground tuber; deeply cut leaves and scarlet flowers.	
	Deciduous in winter 50c to \$	1.00
Pe	Deciduous in winter 50c to \$ dilanthus euphorboides. Queer plant with long, green	
	stems surmounted by flowers having the characteristic	
	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus	
	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	
	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00
Р.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00
Р.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c
P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P. P.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c
P. P. Syr	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c
P. P. Syr	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c
P. P. P. Syr	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c
P. P. Syn	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c
P. P. P. Syn	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c
P. P. P. Syr	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c
P. P. P. Syst G. G. G. G. G. G. G. G. G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c
P. P. P. Syst G. G. G. G. G. G. G. G. G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .35c .35c .35c .35c .35c .35c
P. P. P. Syn G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c
P. P. P. Sym	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia grandiflora variegata. Variegated leaves and charming red blossoms macrocarpus. The Lower California species. Many stemmed. Red monkshood shaped blooms tithymaloides. The juice may be used for invisible ink, becoming visible if dipped in gallic acid. Blossoms like little red birds madenium granti. African milk bush. Unspined and leafy with pretty red stems  GASTERIA  Gasterias are charming two ranked plants. The leaves can mottled with white. caespitosa carinata colubrina dicta disticha echinata var. glauca glabra lauchi maculata. Beautifully mottled glaucous variety becoming pink in the sun nigricans	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3
P. P. P. Syr G.	stems surmounted by flowers having the characteristic bird-like involucres which distinguish Pedilanthus from Euphorbia	1.00 .50c .75c .25c .25c .25c .35c .35c .35c .35c .35c .35c .35c .3

## GASTERALOE

	GASTERALOE	
ma	Gasteraloes are hybrids of Gasterias and Aloes usual triked like the Gasterias and formed in rosettes like most	lly of
C	Aloes.	
G.	beguini. Dark green, heavily warted. Looks like a Haworthia but larger and very good25c	1115
G.	nowotny. Smooth, mottled, light green, heavy leaves.	цþ
	pethamensis. A dark, beautifully mottled plant25c	up up
	HAWORTHIA	
	One each of any 5 marked with asterisks, postpaid, \$1. Haworthias are all small, clustered plants, the leaves gro	
	d windowed or covered with small white dots and are si	
abl	le for pots.	
H.	attenuata. Very warted, tightly cupped leaves. Grows	_
Н.	in full sun in Africa on rocky ground	50
H.	chalwini. Similar to rheinwardti in growth. Darker green and much rarer	,
	green and much rarer \$1	.00
H.	coarctata. Slender and faintly warted; red in sun.  Dark green in shade	5.5
H.	cymbiformis. Window Plant. Very light green; Trans-	.,,
	lucent and cespitose 10c to 2 fasciata. Very striking with warts in distinct bands.	.5c
н.	One of the best \$1	00
	*var. caespitosa. Not so heavily warted as the true	
* *	fasciata but very pretty	25c
H. H	radula. Crowded with tiny tubercles on both sides of	0c
	leaves	
H.	rheinwardti. A beautifully warted little tower	0c
H.	rigida. Concave, rather wrinkled leaves. Very erect	5c
H.	schmidti. (Later)	0c
H.		0c
п.		'5c
H.	skinneri	
H.	tesselata. Thick, nicely lined leaves. Beautiful shape, dark and glabrous	0c
	var. engleri. The varieties differ very slightly	0c
	var. parva	
H.	translucens	
H.	turgida. A very smooth flat rosette window plant	0c
	HOYA	
TT		
п.	carnosa. Beautiful pink clusters of blossoms of the texture of plush, like edelweiss, on a dark green, thick	
	leaved vine. Very good house plant. "The Wax	
	Plant."50c to \$2	00
	KALANCHOE AND BRYOPHYLLUM	
(	One each of any 8 marked with asterisk postpaid.	
(	Only a slight difference between the two in the juxtapo	si-
	n of the filaments and the corolla tubes.  aliciae. Downy leaves with lovely red blossoms, 15c to 2	5.
	blossfeldiana (globulifera var. coccinea). Especially	.)(
	good for pot culture. Shining dark leaves, brilliant	_
K	red clusters of bloom	
K.	crenatum. Scalloped round leaves and red blossoms	5c
	diagremontianum. A curious plant with deeply serrated	
K	mottled leaves, flowers interesting farinosa	Oc
	foedtshenkoi. Violet tinted leaves, very charming	50
	flowers, delicate salmon. A very lovely thing. Keep	5
K.	in the sun15c to 2 glaucescens. Large with beautiful blue leaves and in-	JC
	teresting flowers15c to 2	5c
K.	kewensis. Ready in September	
K.	marmorata. Curious, large with large purple spots in	Je
	great profusion 15c to 2	-



KALANCHOE TUBAFLORA

One of a genus of curiously interesting succulents

	orgyalis. Soft, brown, pubescent leaves
*K.	somaliensis. Heavy, dentate leaves shaded with deep rose. A nice plant with pure yellow flowers 15c to 25c
K.	thyrsiflora. Looks like an Echeveria. Large gray red tipped leaves covered with powder. Blossoms creamy
*K.	in large stalk. Handsome35c tubafolia. Very prolific, hence cheap but very queer and with lovely blooms. A bed of them is a fine sight.
	10c to 25c
K.	uniflora. Pendant with small leaves35c
K.	welwitschi. Beautiful plum colored leaves35c

## Allied Plant

Kitchingia mandrakensis. ish grey, pubescent. A	
plant	

## THE DESERT PLANT LIFE

A worthwhile monthly magazine devoted to Cacti and Succulents.

\$1.50 per year Address Box 68, Pasadena, Calif.

#### **KLEINIA**

One each of any 6 marked with asterisk, \$1.00, postpaid.



KLEINIA ARTICULATA

One of a queer genus of plants from Africa

K.	anteuphorbium. Thick stems; tall	15c
∜K.	articulata. A blue candle plant with pretty leaves	1.5
17	sprouting from the top	
	crassissima	
	fulgens. Bright red flowers on a grey, blue plant	50c
*K.	mandraliscae. Larger than repens but otherwise similar. Very blue leaves	.15c
*K.	nerifolia. Bare, thick stalks with a rosettes of narrow leaves at the top	up
*K.	radicans. Creeping, wit's thick, short leaves. Striped with purple; fragrant flowers; good for hanging bas-	15c
	repens. The smallest of the blue, tubular leaved Klenias	
K.	stapeliaformis. One of the best Kleinias. Clear emerald green stems marbled with white. Flower a tuft of bright red on a long stem. Beautiful	50c
K.	tomentosa. Rare, pure white\$	1.00
*K.	tropeaefolia. A creeping plant with arrow shaped leaves. Attractive	
	Allied Plant	
<b>3.</b> T		
No	otonia pendula. A closely allied plant with red flowers and thick, dark, green stem striped with purple	50c
	MESEMBRIANTHEMUM	
M.	Shrubby and Creeping Types. aureum. One foot tall. Flowers light orange.	

M. blandum. 2 ft. Flowers 2 to 3 in. Pure white, later turning to rose.
M. browni. Small leaved, large, spreading. Flowers, size

of a dime; burnt orange turning to rose.

M. caulescens. (deltoides). Grey blue, large 2 ft. shrub.
Flowers lavender like New England aster.

Carpobrotus edule. Yellow flowers. Large, coarse plant for cliffs or ground cover.

### MESEMBRIANTHEMUM (continued)

C. aequelaterale. Coarse large plant with pink flowers.
M. cordiflorium. Old fashioned variety, small, thick, green leaves; tiny magenta flowers. Used for many years in hanging baskets.
M. crassa. Delicate beautiful white flowers with curling, narrow rays. Fairy-like, fragrant.
Delosperma echinata. Warted, translucent, crystalline foliage.

foliage.

Drosanthemum speciosum. One of the most beautiful of shrubby types. Burnt orange flower with black center. D. species.

M. ecklonis. ½ in. white blossoms; creeping.
M. filicaule. Small creeper; delicate rose pink blossoms. Fine ground cover for small places.

M. glaucum. Very erect with lemon colored blooms.

Hymenocyclus herrei.

purpureo-croceus. The most constant bloomer and best for holding soil to hillsides. Burnt orange blos-H. purpureo-croceus. soms; reverse side magenta.

M. maximum. Large, grey green with lavender blossoms.
Rooted cuttings charming in bowls.
M. muricatum. (deltoides cristatum). Low form, grey

green; lavender blossoms. Similar to caulescens. fect in rock gardens.

M. roseum. Creeping, small pink lavender flowers like

wild asters.
M. spectabile. Small lavender blossoms.

M. steingroeveri.
M. tenuifolium. Large, winter blooming, free flowering.

Deep vivid purple.

M. uncinatum. Erect, slender leaves; delicate thin rayed levender blossoms, size of a dime.

var. Similar plant with darker foliage and straw colored blossoms; name unknown.

M. veruculatum. Thick leaves; very bushy; insignificant yellowish flowers, size of a dime.

The above are.....

#### MESEMBRIANTHEMUM

Stemless or Non-Shrubby Types.	
M. anemonaflorum. With one of the finest blooms	-25c
Argeta-pretensis. Dense mat; light, green leaves. Pink	50c
flowers. Very limited supply	
pink to white. Very rare. One of the mimicry plants.	w
Grows in grey-green quartz 35c to	50c
Grows in grey-green quartz	
daisy. Hence its name15c to Bergerantus vespertinus. Low with green, pointed leaves;	
yellow flowers, orange reverse	.15c
Bylia cana. Similar to some of the Pleiosopolis. A queer	
plant with yellow blooms and thick, angular leaves	
Cephalophyllum acutum. Beautiful deep orchid blossoms	25c
C. alstoni. Dense tufts of erect, grey, finger-like leaves.	
Cherry red flowers; one of the most beautiful of Mesem. flowers	35c
C. laeve. Interesting creeping plant, bright yellow blooms	10c
Cheirodopsis candidissima. A very white, large Cheirodop-	100
sis of beautiful stature	35c
	25c
C. caroli-schmidti. Grey thick leaves in pairs. Interesting	
C. pecularis	
C. richardiana	25c
Corpuscularia lehmanni. Velvety green plants, beautiful	
	15c
Didymaotus lapidiformis. Very rare and queer plants. Not a clump former. Flowers lateral. One of the	
celebrated mimicry species35c to	50c
Dinteranthus puburulus. Similar to Lapidaria margareti.	<i></i>
Dinteranthus puburulus. Similar to Lapidaria margareti. Forms small clusters	50c
Ebracteola montis. Grey curious plants. Downy appear-	
ance	25c
Faucaria boschiana. One of the new Faucarias. The	
Faucarias are beautiful in shape, with thick leaves	
and curling, fringed or dentated margins	25c

	MESEMBRIANTHEMUM (continued)	
F.	felina. Very green	35c
	haagei. A fine variety. Leaves very compact, shining white margins	
F.	lupina. Dentated leaves resembling wolf's teeth	
	superba. Greyish with white spots. Beautiful	
	tigrina. Green. Neat rosettes edged with long teeth	
	ucaria tuberculosa. Heavily warted. The most beauti-	
	ful of the Faucarias	75c
Fe	nestraria aurantiaca. Yellow flowered. Fenestrariae must have 2 in. of coarse sand at base of plant or will	
	rot	.75c
F.	rhopalophylla. "Babytoes." One of the most interesting of window plants. White blooms with yellow centers	25c
Gibl	baeum geminum. Thick greyish leaves; grows in clus-	
G.	molle. Like G. geminum but green instead of gray	.35c
Glo	ttiphyllum depressum. Glottiphyllums are large leaved,	25c
Gio	thick and juicy with large, yellow flowers	.15c
G.	linguafolium. Curved, flat leaves very dark green	
G.	neli. Grey, green with especially beautiful yellow	
C	flower and extremely thick leavespropinguum. Leaves not quite so heavy as above	2JC
	ereroa carians. Curved symmetrical leaves	
		.15c
п.	stanleyi. Low green plants with scimitar-shaped leaves; yellow flowers	.15c
La	pidaria margareti. Rosy-lavender, chalk-like, thick leaved mimicry plant	50c
Lit	hops kewbescens. One of the very interesting stone plants. Very mottled; 3 yrs old	
T	lesliei. Perfectly round; mottled; one of the best;	.35c
D.	size of a dime	.25c
Ma	We will have other Lithops soon. Send in for list. chairophyllum albidum. Symmetrical grey, green	
	leaves, orchid flowers. Lovely in form and texture	.25c
Me	entocalyx velutinum. Low; greyish, three angled leaves.  Lavender flowers, profuse bloomers	250
Na	nanthus rubrolineatus. Rare. Beautiful dark, green,	٠,٠
	thick leaves	.50c
N.	vittatus. Very small. Dark leathery leaves. Forms clusters	150
M.	odoratum. Small plants suitable for bowls because of	.15c
M.	pachyphyllum. Thick leaved, dwarfed; rosy flowers.	
	Very interesting	50c
Per	sea macrodeniapiscodorum, (Ruschia acuminata). Smells like fish	.15c
Ple	iospilos bolusi. One of the best of stone faces	50c
Ρ.	dekanahi. Round margined leaves	50c
P.	magnipunctata. Strange plant; yellow blossoms tipped	
D.	with orange25c to	50c
P.	neli. The best Pleiospolisnobilis. Queer stone faced plants, thick angular leaves.	.500
r.	Picturesque like all of this group. Green in shade, lavender in sun	50c
P.	roodiae. Reddish leaves	50c
P.	simulans. Flat surfaced, grotesque, bizarre25c, 50c, \$1	1.00
Kat	prow of a boat prow of a boat	50c
Rh	ombophyllum rhomboideum. Dark green truncated leaves; very flat yellow flowers	
Sto	matium agninum. Thick leaved interesting plants.	
S. I	yellow flowersfulleri. Charming plant, toothed leaves. Fringy yellow	
	blossoms	25c
S.	jamesi. Similar to above. Larger leaves	25c
S.	meyeri murinum	25c
	murinum mustelinum	25c
S.	ronaldi	

MESEMBRIANTHEMUM (continued)
Titanopsis calcarea. A low, warted rosette. Very unusual 35. Trichodiadema bulbosa. A very low, curious plant with
small, purple blooms and long, bulbous roots. Per-
fectly suited for borders  T. stellata. Low tufted plants with groups of stiff hairs
on each tuft, making them resemble cactus. Lavender
flowers
plants of extreme interest50  Mesembrianthemums do not require much water or good
soil.
OTHONNA
O. crassifolia. Creeping, interesting plant with fat, short
leaves like elongated beads. Yellow flowers like small
daisy '
leaves150
PORTULACARIA
P. afra. Only member of its family. Food for elephants in Africa. A beautiful shrub with thick, small, shin-
ing leaves on a dark red stem15c up
SANSEVIERIA
S. aethiopica. Wide green leaves with red edges. Very
beautiful
pointed, stiff leaves in two ranks up to 2 ft. in length.
Small plants 50c to 75c S. laurenti. A yellow margined variety of zeylanica 25c up
S. para25
S. zeylanica. The Leopard Plant. Suitable for jars in homes. Long, thick, mottled leaves15c up
Two unnamed Sansevieriae, one very similar to S. aethi- opica and one very large with long, wide leaves. Each 50
SEDUM  The price of these plants is 10c unless otherwise stated.
"H" means hardy to frost.
S. adolphi. Golden yellow, conspicuous. S. acre. Creeping. H.
S. alantoides. Blue, round leaves.
S. album. Green, creeping. H. S. altissimum. Blue, 8 in.
S. anglicum. Charming, pale green, creeping.
S. dasyphyllum. Blue green clumps, tiny leaves. S. guatamalense. Green turning to red in sun. Vary at-
tractive. S. lydium. Small, vivid gren.
S. maximovitzy 356
S. mexicanum. Yellow green. S. moranense. Tiny, thick, reddish leaves.
S. multiceps. Like a little pine tree. Perfect in bowls 250
S. murialis. Turning red like blackberries in fall. S. pachyphyllum. Pale hands, pink tipped.
S. palmeri. Tall. Echeveria like rosette.
S. prealtum. S. prealtum cristatum.
S. pruniatus-fosteriana. H.
S. reflexum. H. S. rupestre. H.
S. sarmentosum. H.
S. sieboldi. H. Pretty pink flowers. Dies back each year 250 S. spectabile var. brilliant. H.
S. spectabile variegatum. H. S. stahli. Called baked beans from the resemblance of
the leaves.
S. treleasi. Beautiful blue.
S. treleasi. Beautiful blue. S. winkleri. From Spain. Perfect rosettes in clusters.
S. treleasi. Beautiful blue.

## SEMPERVIVUM AND AEONIUM

BEIGH ER VI VOIM IN 18 I RECTUENT	
A. arborescens.	
A. balsamiferum. Grey serrated red-tipped leaves. A. canariensis. Downy. Requires shade.	
A. ciliatum. Grey and very prolific.	
A. decorum. Rather small rosettes on shrub, turning	
beautiful color in fall.  A. haworthi. Very stiff leaved rosette on small shrub.	
A. nobile. Thick large leaves weighing sometimes as	
much as a pound	5c
A. percarnium. Red-tipped. Like decorum. A. spathulatum. Smaller rosettes, long stems. Likes shade.	
A. tourniforti. Serrated edges, small rosettes on a shrub.	
A. tabulaeforme. Leaves inlaid like marquetry. A downy, absolutely flat rosette.	
var. lindleyi. Shrubby group of dull green rosettes.	
The above are a group of large, showy plants consisting	
many stalked rosettes. Most of them are natives of the Canal Islands.	iry
Prices 15c to 2	.5c
A 111 1 TO 1 .	
Allied Plants	
Aichryson dichotomum. Bushy annual with downy leaves	_
A. tortuosum. Compact little rosettes composed of tiny,	.5c
thick leaves2	.5c
Grenovia dodrentalis. (gracile). Charming plant like a perfect little rose	5 -
Rosularia pestalozzae 2	
SEMPERVIVUM	
12 of any kind 10c kind, \$1.00, postpaid.	
5 of any 25c kind, \$1.00, postpaid.	
Sempervivums are very interesting small plants suitable rock work. They are natives of the mountains of Euro	
and very hardy to cold. In California they prefer shade.	ре
Single rosettes unless otherwise stated1	l0c
S. alberti. Grey green. Rosettes small. S. alpha. One of the newest varieties on the market.	
Downy rosettes2	25c
S. ambergreen. Large. 5 to 6 in. Amber shading.	
S. arachnoideum. Cobweb or spiderweb house leek. Very small rosette entirely overlaid with small, white hairs.	
Flowers bright red.	
S. arenareum. Globular, bright green; flowers pale	
yellow.  S. atroviolaceum. (Rosy Purple Beauty). Grows to 7 in.	
An outstanding variety	0c
S. beta. Also a new variety with a perfect rosette	25c
S. blondine.	
S. brauni. S. calcaratum. Large. Purple colored. Irridescent. Very	
fine	25c
S. calcareum. Beautiful smooth green rosettes; petals	
greenish with decided red tips. A gery good one.  S. doellianum. Very tight clusters of small pale green	
rosettes. Flowers bright red.	
S. fimbriatum. Flowers bright red.	35 -
S. gamma. New variety; very good	20C
Flowers pale green.	
S. hirtum. Pale grey, green. Pale yellow flowers. S. laggeri. Similar to arachnoideum, but rosettes much	
larger. Flowers bright rose.	
S. Lown's No. 60. 3 to 4 in. Red tipped. Silky hairs on	75
S. moggidgi. Smooth, green tips; reddish.	2) C
S. powelli. Violet shading. Turning red in winter.	
S. royanum. Yellowish green with red tips. A startling variety	350
S. silverine. 6 in. Light green to silvery grey	
S. soboliferum. Light green rosettes; pale yellow flowers.	

SEMPERVIVUM (continued)	
S. tectorum. Flowers pale red. S. violaceum. 4 in. Green. Slight violet shading. Chang-	
ing little with the seasons.  S. violescens. Grey green with violet shadings. Rosy in winter.	
Stapeliae and Allied aesclepiads	
CARALLUMA	
	75c
C. europea. Variety typical. Smallest blossoms of all, very profuse at end of stem. Red with gold stripes	
C. lutea10c to C. melanantha. (leendertziae)10c to	25c 25c
C. nebrowni. Dark red to black brown. Entirely bare	
C. pseudo-nebrowni10c to	25c 25c
CEROPEGIA	
C. barklyi. A lovely little vine with pointed, mottled	
leaves 15c to	25c
C. debilis. A weak, trailing affair getting everywhere and going nowhere	25c
C. dichotoma. May be C. fusca but comes from a different locality	
C. fusca. Very unusual. Can stand very little water	35c
C. radicans	
C. thorncrofti. Very thin stemmed	25c
C. woodi. The Rosary Vine15c to	25c
DIPLOCYATHA	
D. ciliata. Allied to Huernias. Showy, white flowers fringed with hair. One of the finest	75c
DUVALIA	
D. angustaloba. The most free blooming. Brown corolla,	
with narrow lobes	15c
D. polita. The polished Duvalia, chocolate red	
D. reclinata. Similar to hirtella but hairs are vibrate clavate instead of single	15c
ECHIDNOPSIS	
E. cerieformis	35c
var. obscura. (cylindrica).	35c
E. dammanniana	30C
H. hystrix. The porcupine. Yellow bloom with red	
spots; spinelike, red tipped papillae	25c
H. loesneriana. Corona striped and dotted with purple	25c
H. longituba. Bloom cream colored, flecked with red	
H. penzigi. Bloom outside dirty white and red inside	25c 25c
H. primulina. Creamy vellow bloom	25c
H. scabra var. immaculata. Flowers a pale brown color	25c 25c
H. transvaalensis. The lifebuoy	25c
HUERNIOPSIS	
H. decipiens. The only Huerniopsis. Brownish red bloom mottled with yellow	_
	25c
PIARANTHUS P. foetidus. Flowers yellow with red markings. Smells to	
Heaven2	.5c
P. species	l5c
SARCOSTEMMA	
S. viminale. Pendant, leafless, pointed. A lot of not much	25c
STAPELIA	
12 Varieies, my choice, postpaid, \$1.00	
S. angulata	
S. arnotti. Clear red, wine tips, blackish long hairs 25c to 5	UC

	STAPELIA (continued)	
	asterias. Tips bare, center very tomentose, red	
S.	atropurpurea. (variegata). Ground color blackish- purple. Spotted	
S.	be'la. Two inch purplish red flowers	
	bicolor. Dark brown with few bright yellow spots.	
-	Stems two colored	100
	bufonia. Variegata variety.  carolli-schmidti. Variegata variety	10.
	ciliata. White and dark purple hairs mixed. Spotting	
	variable	.350
	clavicorona. Rare. The inner corona has two sets of horns	.500
S.	deflexa. Dark red with center corona, self colored hairs	
s.	desmetiana. Long white haired edges, greenish or red-	
s.	dish ground	
S	flecki. Unusual and unlike the others, sweet scented	
	flecki variety flavopurpurea. More yellow in the bloom	
	gettleffi. Similar to hirsuta but blooms larger	
S.	gigantea. Dull green, pale purple, hairy, marked with	
	transverse crimson lines. Blossoms 14 in. across.	25c
	grandiflora. 6 inch, dark brown, hairy	25c
S.	hanburyana. Ground color yellowish, the ring lighter	
s.	covered with round dark red spots merging into lines hirsuta. Ground red, margin white, petals hairy, white	LUC
	tomentose10c to	
	hirsuta hybrid and var. patula	
	maculosa. One of the beautiful hybrids believed to	
	have been in cultivation since 1799	
S.	maculosoides. (mermalis). Has a very pronounced pattern	10c
S.	moth-brown. Unusual with many cilia on a tan-green background	25c
s.	multiflora	
S.	maculosa	25c
	nobilis	
	pachyrrhisa. Beautiful velvety black red with tiny flecks of gold. Rare	50c
	picta. Gold background streaked with red; very large blackish red spots running together	50c
	peglerae10c to	25c
S.	puchella. The little beauty. Sulphurous yellow with brown spots	25c
	radiata. Gold with black spots	
	rufescens. Gold, with very dark brown spots schinzi. Unusual in shape. Long pointed leaves, dark	
	red15c to	35c
	tomentosa. Covered with white hairs	
S.	variabilis	10c
	variegata. Commonest of all; yellow with small spots verrucosa. Very small yellow blooms with tiny brown	
	dots. Very different from the above10c to	∠JC
	TAVARESIA	
T.	barklyi. Blooms 2 to 3 in long, pale yellow flecked with red	500
T.	grandiflora. Similar to above but flowers attain 6 in.	
	The Stapelieae, by Alain White and Boyd Sloane.	50c
sch	olarly, up to the minute, profusely illustrated book on	the
Ae	sclepiadaceae. \$3.00 and worth twice as much. An uable study of Les Dames aux Enfers of the botan	in-
	uable study of Les Dames aux Enfers of the botan	ical

# **CACTI**

Acanthocereus pentagonus. Triangular, procumbent; night bloomer. Good grafting stock 15c
Ancistrocactus scheeri. Small tubercled plant. Yellow
spines, some hooked
Grafted plants \$1.00  A. flagelliformis. Rat Tail. Long slender, pendant stems
covered with short spines and magenta flowers. A good house plant
The above grafted Has much more vigor\$1.00 up  A. flagriformis. Oaxaca, Mexico. Erect at first, then
creeping, much branched. Flowers dark crimson.  Grafted plants
A. leptophis. Mexico. Strongly ribbed slender tails with bristly spines\$1.00  Ariocarpus fissuratus. The Living Rock. Looks more like
an amphibian than a plant25c to 35c
Astrophytum asterias. The Sea Urchin. Small, flat, distinctive25c to \$1.00
A. capricorne. Long curling spines. S
ered with myriads of small tufts of white wool. S 50c var. coahuilensis. S
var. potosina. S
S35c to 50c var. mirbelli. Few tufts of wool. S35c to 50c Bergerocactus emeryi. In the U. S. native of San Diego
Co. and some of the Channel Islands, only. Yellow spined, slender cereus, different from any other cactus.
Sensitive to cold
Borzicactus straussi. Slender South American cereus covered with white wool like spines. Hardy. Flowers
tubular, red. S
slender, long, yellow, hooked spines50c up Carnegiea gigantea. The Arizona Giant75c up
CEREUS
The Cerei are tall columnar plants having large
The Cerei are tall columnar plants having large, white, nocturnal flowers.
white, nocturnal flowers.  Cereus bolivianus. S

### **CEPHALOCEREUS**



CEPHALOCEREUS SENILIS

The Old Man of Mexico

The Cephalocerei are usually tall plants with long hairs or wool on them.

Cephalocereus albispinus. S. 40c C. chrysacanthus. Yellow spines, wooly apex. S. 25c C. hoppenstedtii. Short, hairy giant; white spines. S. 75c to \$1.00
C. leucocephalus. Sonora, Chihuahua. S. One of the most unusual columnar cacti with 4 in. long wooly
white hair, very rare350  C. royeni. White, hairy. From Porto Rico. Rare. \$1.50 to \$5.00

Denmoza rhodacantha. (Pilocereus erytrocephalus) 75c  Dolichothele sphaerica 15c to \$1.00  Echinocactus grusoni. The beautiful golden ball which will attain the size of a bushel basket. S. Plants
E. horizonthalonius. Rots easily. Must be planted in rubble so no wet earth surrounds the base25c to 50c  E. polycephalus. Multiple headed with stiff pinkish spines
ECHINOCEREUS
Echinocereus blancki. Slender stems, large purple bloom
E. berlandieri. Similar to blancki. Very free bloomer
E. brandegeei. L. Calif. Forms clusters of tubercled joints. Spines yellow to brown, flowers purple. Resembles a clavate Opuntia
E. chloranthus. Green flowers 15c to \$1.00
E. conoideus. Beautiful red flowers
E. engelmanni. Hedgehog. Magenta to purple blooms
E. enneacanthus15c to 25c
E. erhenbergi. Fine purplish blooms. Setaceous spines 25c to 50c
E. fendleriBeautiful plant with purple flowers 50c to \$1.00
E. fitchi. Brownish, pectinate spines
E. octacanthus. Scarlet cup - shaped blooms. Hardy
E. papillosus. Very attractive with yellow blooms 25c to \$2.00
E. pertinatus
E. reichenbachi. White pectinate spines. Lacy appear-
ance. Purple blooms 15c to \$1.00  E. rigidissimus. The beautiful red spined Arizona Rain-
bow Cactus. Spines short and intermeshed and not aggressive. Flowers bright pink with white center.
Requires almost no water. One of the loveliest 25c to \$5.00 E. rosei25c up
E. stramineus. Strawberry Cactus. Purple blooms 25c up E. triglochidiatus. The Claret Cup 25c up
E. viridiflorus 25c to 35c Echinomastus durangensis 60c
E. intertextus15c to 50c
ECHINOPSIS
Echinopsis campylacantha25c
E. colmariensis  E. eyresi. Beautiful big white flowers on lovely green
globes. Hardy15c to 50c var. el pleno. Rose flowers25c
E. Heavenly twins. Pink bloom 25c E. mamillosa. White flower 25c
E. mia. Light pink flowers. Short spines25c
E. muelleri. Rose flowers 25c E. multiplex. Beautiful pink blossoms on green globes
with yellow spines. Good grafting stock
E. nuda25c E. oxygona var. cristata. Grafted\$1.25
E. paraguayensis50c E. schelhasei. Beautiful pink blooms about 8 in long
lasting about 5 or 6 days. Small plants
E. turbinata 25c
E. undulata 25c E. wilkensi 50c
E. zuccariniana 50c

#### **EPIPHYLLUM**

EPIPHYLLUM
Epiphylla well deserve the name of "Flowering Cacti." They have some of the most beautiful flowers in the cactus family. They are admirable house plants. Also called Phyllocactus.  Prices for Epiphylla for one stem rooted. Prices for larger ones on request.
Epiphyllum agatha. Beautiful, large, pink blooms50c
E. Amber Queen 50c
E. anguliger. The leaves are the most beautiful of all the Epiphylla. They are shining, vivid green, very deeply and regularly cut. Lovely as a house plant even when not in bloom. White blossoms
E. ackermanni hybrids 25c to \$2.00
E. cooperi. White 25c E. Conway's giant. Beautiful, large, red flower with
purple throat 50c  E. Dr. Houghton. Another beauty with red flower with
purple edges on the petals50c
E. Houghton's frilled 50c E. jenkinsoni. Red and white bloom 50c
E. kermescensus magnus. Red and white bloom 50c
E. kermescensus magnus. Red and white bloom
E. oxypetalum. Mexico. Blooms abundantly. Thought
to differ little from the foregoing
throat50c
E. pink nymph 50c
E. roseum superbum (kaiserin). Bicolor pink and white.  Blossoms not large but very profuse
E. vif rouge50c
E. wrayi. White flower 25c
Many varieties of Epiphyllums are unnamed. Colors
known, however. White, pink and red 25c up Escobaria dasyacantha 25c
E. runyoni10c to 25c
E. sneedi15c to \$1.00
E. tuberculosa25c to \$2.50 Espostoa lanata (Pilocereus dauwitzi). The most beauti-
ful of hairy cereus. Completely covered with white wool with a few stiff yellow spines. Comes from the high Andes. S
FEROCACTUS
Ferocactus acanthodes. The California Barrel. All sizes, shapes, groups, etc., including a healthy, large crest.  25c to \$25.00
F. hamatacanthus. (longihamatus). Flowers lemon yellow25c to \$2.50 F. johnsoni. Fire under ashes best describes this beauti-
F. johnsoni. Fire under ashes best describes this beautiful cactus. Heavy dull red spines35c
F. latispinus. (E. corniger). A very symmetrical plant. Spines red, short and flattened. Flowers pink or
white to purple. S25c  F. lecontei. Showy, very red spines50c to \$5.00
F. melocactiformis. (electracanthus). The spreading
amber spines make a very showy plant. S. 25c F. pringlei. Seedlings 50c
F. robustus. Forms dense clusters of heads about 8 in. in in diameter. Brownish spines on deep green globes40c
F. uncinatus. Texas Fishhook. Lovely frilly rose to chocolate colored flowers
F. viridescens. A low, flat barrel, single and in clusters.  Heavy
The Cactus Candy is usually made from this plant.
Grusonia bradtiana. Limited supply. Small plants only \$1.00 G. rosarica. Rare. New Grusonia recently found in L. California
Hamatocactus setispinus. The Texas Twisted-Rib. A most
exclusive child with no near relations. One of the
most persistent bloomers. Flowers lemon yellow with red centers
1ed Centers

Harrisiae are clambering, white flowered, nocturnal Cereus. Beautiful red fruit. Harrisia bonplandi. Paraguay. Four sided 50c to \$1.00 H. eriophora. Cuba 50c to \$1.00 H. martini. Argentina 50c to \$1.00 H. martini. Argentina.
H. tortuosa Heliocereus speciosus. Beautiful Epiphyllum like blooms.

Red flowers with purple edging on petals......50c to \$1.00

Homalocephala texensis. The Texas Devil's Head. Resembles E. horizonthalonius, but is much easier to grow. Lovely delicate blossoms, like strawberry ice cream in color\_\_\_\_\_\_\_25c to \$\\$ cream in color 25c to \$1.00

Hylocereus ocamponis. Glaucous, 3-angled stem with a gold stripe on the ribs. Large, white, nocturnal flower branched

L. chichipe. S. Mex.

25c
L. dumortieri. Very striking columnar plan. S. Mex.

15c to 60c L. hollianus. Mexico. Nice. Bristly, spiny, branching montanus. Sonora. One of the rarer Lemaireocereus. 25c to 75c 35c to S. plants.... Lophocereus schotti. A wonderful and much prized cereus almost extinct in the U. S. except in cultivation. 3 yr. seedlings\_\_\_\_\_ Mature plants \$5.00 to \$10.00 var. monstrosus. "Totem Poles." Very rare form of L. schotti. Only two small patches ever found. L. Calif. Small ones 50c to 75c Lophophora williamsi. The famous Peyote or Mescal Button. More has been written about this plant than any other in the Cactus world. Interesting and easy of culture 15c to 50c ....15c to 50c of culture.... blooming cactus

M. spegazzini. S. Amer. Beautiful, slender, purple-green stems mottled with cream. White flowers. Grafted plants ----....60c Myrtillocactus geometrizans. Beautiful blue. Seedlings

#### **NEOMAMMILLARIA**

Nomammillaria blossfeldiana. L. Calif. Small, hooked, spined variety with large flowers for the genus, pink

All very nearly alike \_\_\_\_\_\_\_25c to \$1.00 similis \_\_\_\_\_\_25c to \$1.00

wissmani \_\_\_\_\_\_ 25c to \$1.00

Neobesseya missouriensis. The Neobesseyas are very beautiful white spined clusters with brilliant red fruit.

similis ...

and white striped	75c
Neomammillaria bocasana. Seedlings. Wooly with	
brownish hooked spines. Beautiful50c	up
N. compressa. Mexico. Forms dense clusters. Has milky	•
	25c
N. denudata. Very tiny, little white button. size of a large	
	15c
N. elongata. Golden yellow, soft spined, clustered	35c
N. fasciculata. Small, rosy hooked-spined	
N. fragilis. Miniature. Soft spines	25c
N. hemisphaerica 15c to	
N. hidalgensis. Mexico, crimson flowers. Free blomer 35c	
N. longicoma. Seedlings similar to bocasana	50c
N. meiacantha. One of the flat ones	25c
N. multiceps. (pusilla), ½ to 1 in. Charming10c to	

N. nivosa. White, wooly body with yellow spines. Islands
14. Ilivosa. Wille, wooly body with yellow spilles. Islands
of Mona and Culebra. Does not grow on the main-
lands of Porto Rico
N. plumosa. Lovely, little, white plant with sort, reath-
ery-like spines. S
spines25c to 50c
spines25c to 50c N. sphacelata. Slender. White spines with dark tips35c
N. spinosissima. A large Neomammillaria with long red
and white spines. Attractive35c
NOPALEA
Nopaleas are Platyopuntia type plants except the
flowers never open wide and the stamens and pistil
are exserted.
Nopalea auberi25c
N. cochenillifera. Portrayed on Mexican coins 15c to 35c
N. cochenillifera variegata. Rare50c
N. dejecta. Panama. Huge. Winter bloomer 25c
N. dejecta variegata. Unusual variegated form. Per rooted
cut 50c N. inaperta. Yucatan 15c to 35c
Nyctoccreus serpentinus. Tall columns, slender, growing
to tops of houses. 50 white, very fragrant blooms
on one stalk in a single night
OPUNTIA (cylindrical types)
O. bigelovi. The golden spined cholla. Except where
desired for color scheme not desirable. Dangerous with its barbed spines and easily detached joints.
O. bulbispina. Clavate type. Rare. One stem
var. davisi. Golden spines25c to 50c
O. echinocarpa. "Silver and Gold Cholla". Not so vic-
ious as O. bigelovi and slenderer 10c to \$1.00
O. fulgida 15c to 25c
O. glomerata. (Tephrocactus papryacanthus). S. Amer. 50c up O. imbricata. When kept properly trimmed this green
tree-like cactus is very ornamental15c to \$1.00
O. kleiniae15c to 25c
O. leptocaulis. Slender easily detachable joints. Has
lovely red fruits that give the plant the appearance
of a holly bush15c to \$1.00 O. parrishi. S. Calif. and Ariz. A creeping, clavate plant.
o. partism. S. Cairi. and Mrz. M. Creeping, Clavate plant.
The new growth in the spring is very beautiful.
The new growth in the spring is very beautiful.  Numerous flat, white spines25c to \$1.00
Numerous flat, white spines25c to \$1.00 O. pentlandi. S. Amer. Globular stems. No spines.
Numerous flat, white spines25c to \$1.00 O. pentlandi. S. Amer. Globular stems. No spines.
Numerous flat, white spines25c to \$1.00  O. pentlandi. S. Amer. Globular stems. No spines, only glochids. Rare50c  O. prelifera. San Diego Co. Vicious "cholla" with eas-
Numerous flat, white spines25c to \$1.00 O. pentlandi. S. Amer. Globular stems. No spines, only glochids. Rare50c O. prolifera. San Diego Co. Vicious "cholla" with easily detached joints10c
Numerous flat, white spines25c to \$1.00 O. pentlandi. S. Amer. Globular stems. No spines, only glochids. Rare50c O. prolifera. San Diego Co. Vicious "cholla" with easily detached joints10c O. spinosior. White short spines25c
Numerous flat, white spines



OPUNTIA

An interesting cactus low in scale of evolution.

Hence the leaf

Var. ursina. From Mojave Desert. Denser spines,
yellow flowers. The grizzly bear 25c to \$3.00 O. grandiflora. The largest of the Texas cactus. Large
yellow flowers with red centers50c  O. leucotricha. A very large stately variety with short, pure white hair-like spines. Large plants\$2.00
Cuttings
O. macrocentra. Purplish leaves, a few very long spines on the margin35c
on the margin35c O. margarita. L. Calif. Densely covered with pink-brown spines35c
O. michrodasys. Covered with tiny golden yellow spines looking like velvet but dangerously deceptive. Small ones are perfect in bowls
harmony of color are those rich hues on a dark
O. monacantha. (vulgaris). Brazil. Thin pads with long, dark spines 15c up monacantha variegata. The best seller because of its
unusual marbled mosaic of color and design 15c up O. orbiculata. (crinifera lanigera, senilis). Mexico. Grown under glass covered with white hair; in open has yellow spines only
O. pottsi. Red flowered
O. retrorsa. A very charming dark green, shining, sprawling Opuntia. Each spine seems to cast a long purple shadow. The joints are flat but very thick and nearly round. Not common
O. rubescens. (Consolea). From Porto Rico. Smooth, dark green, almost spineless, rare and beautiful in
O. santa-rita. Purplish pads in winter. Sage green in growing season. Flowers golden yellow, as large as
o streptacantha. San Luis Potosi. One of the most important food cacti of Mexico
O, subulata. S. America. Different from any native Opuntia. Round stems, pronounced conic leaves. 10c to 25c
O. tuna amarilla. Single pads 15c O. tomentosa. Mex. Short spines, velvety stems 15c
Oreocereus celsianus. (Bolivia). Yellow spines, long white hairs. S. 35c to 75c O. trolli. Very hairy. Striking. S. 40c to 50c
O. trolli. Very hairy. Striking. S. 40c to 50c





OPUNTIA ERINACEA

California's Grizzly Bear

Pereskia bleo. A shrub with dainty pink flowers and lovely spines	35c
P. godseffiana. The most beautiful one in the coloring	
of the leaves. Supposed to have been a sport and to have originated in Australia\$1	.00
P. grandiflora. Large violet blooms. S. America	25c
P. moorei. Shrub with rosy blooms, very long spines Brazil	25c
P. pereskia. A vine, looking like a Bougainvillea but a true cactus. Very sweet, yellow, waxen flowers.	
Rapid grower	35c
P. sacharosa. Paraguay and Argentina. Flowers in terminal clusters, rose colored or white	25c
The Pereskiopsis are the second step in evolution in	270
Cacti.  P. chapistle. Branching with fleshy leaves and yellow flow-	
ers and red fruit. Mexico	25c
P. digueti. Central Mexico. Branches; pubescent areoles when young filled with white hairs becoming black	
wool. Flowers yellow, fruit red	25c
blooms, orange fruit, thick leaves, sprawling	25c
Rathbunia alamosensis. Sonora. Tubular, red flowers with recurved petals. Fine. S	35c
Schlumbergera gaertneri. Bright red blooms. Like a  Xmas cactus	JJC
Xmas cactus25c to The Selenicerei are slender climbers. The flowers are	50c
white and in some varieties are as large as a dinner	
plate. Nocturnal.  S. grandflorus  S. hamatus. A curious one that looks as if it were grow-	.50c
S. hamatus. A curious one that looks as if it were grow-	
ing upside down. Blooms very beautiful and fragrant25c to \$1	1.00
S. macdonaldiae. Lovely big blooms	50c
S. mallisoni. Hybrid with red flowers  S. pteranthus. Large blooms with a delicate fragrance.	.5)C
S. vagans. Slender, climbing	.35c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.	.35c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to	.35c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers	.35c .25c .50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms	.35c .25c .50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare	35c 25c 50c 50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina350	35c 25c 50c 50c 50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	35c 25c 50c 50c 50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 35c T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants	25c 50c 50c 50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	25c 50c 50c 50c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	25c 50c 50c 50c 25c 1.00
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 35c T. terschecki. S. Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only  W. poselgeri. Snake like. Large flowers, bulbous roots.  35c to W. senilis. Grafted plants only. Hairy. Light purple	25c 50c 50c 50c 25c 1.00
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	25c 50c 50c 50c 25c 1.00
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	25c 50c 50c 50c 25c 1.00 75c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	25c 50c 50c 50c .50c .25c 1.00 75c .75c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 35c T. terschecki. S.  Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only  W. poselgeri. Snake like. Large flowers, bulbous roots.  35c to W. senilis. Grafted plants only. Hairy. Light purple blooms W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to W. viperina. Mexico. Velvety looking stems. Red	25c 50c 50c 50c 25c 1.00 75c 75c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina 35c T. terschecki. S.  Wilcoxia australis. Sonora. A new plant with soft spines and a lovely creamy-pink bloom. Grafted plants only W. poselgeri. Snake like. Large flowers, bulbous roots. 35c to W. senilis. Grafted plants only. Hairy. Light purple blooms W. striata. L. Calif. and Sonora. Very slender with wide gray ribs and purple flowers. Grafted plants. 50c to W. viperina. Mexico. Velvety looking stems. Red flowers. Good. Grafted 50c to \$ Zygocactus bicolor. Red and white flowers. Grafted plants 50c to	35c 25c 50c 50c 50c 25c 1.00 75c 75c 75c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	35c 25c 50c 50c 50c .50c .25c 1.00 75c .75c 1.00 1.00
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	35c 25c 50c 50c 50c .50c .50c .75c .75c .75c .75c 1.00 1.00 .25c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	35c 25c 50c 50c 50c .50c .50c .75c .75c .75c .75c 1.00 1.00 .25c
S. vagans. Slender, climbing Thelocactus bicolor. Lovely frilled blossoms var. bolansis. Similar to the above with fewer spines.  15c to Trichocereus candicans. Low heavy heads. Yellow spines. Large white flowers T. lamprochlorous. Smaller than the above. Fine blooms T. pachanoi. S. Amer. Very green; short spines; white flowers. Rare T. spachianus. Yellow spines, rapid grower, common but beautiful. Very fragrant blossoms. Argentina	25c 50c 50c 50c .50c .25c 1.00 75c .75c 75c 1.00 25c 1.00 25c

POKON A Plantfood particularly suited for Cacti and Succulents.

Three Sizes: 50c, \$2 and \$3

Order from KNICKERBOCKER NURSERY

T. C. SPRUITT, ENCINITAS, CALIF.